

# Contents

## Volume 1

Preface	v
The International Working Conferences on Stored-product Protection	vii
6th IWCSPP Conference Summary – Bruce Champ	xvii
Opening Address – John Kerin	xix
<b>FUMIGATION AND CONTROLLED ATMOSPHERES</b>	<b>1</b>
<b>Keynote Address</b>	
Fumigation — an endangered technology? – H.J. Banks	2
✓ Carbon dioxide — more rapidly impairing the glycolytic energy production than nitrogen? – C. S. Adler	7
A comparison of the efficacy of CO <sub>2</sub> -rich and N <sub>2</sub> -rich atmospheres against the granary weevil <i>Sitophilus granarius</i> (L.) (Coleoptera: Curculionidae) – C. S. Adler	11
Numerical modelling of the movement of carbon dioxide through stored-wheat bulks – S.K. Alagusundaram, D.S. Jayas, W.E. Muir, N.D.G. White, and R.N. Sinha	16
Modified atmosphere storage of bagged maize outdoor using flexible liners: a preliminary report – D.G. Alvindia, F.M. Caliboso, G.C. Sabio and A.R. Regpala	22
✓ Sealed storage technology on Australian farms – A.S. Andrews, P.C. Annis and C.R Newman	27
Time to population recovery as a means for specifying low oxygen dosages – P.C. Annis	37
A same-day test for detecting resistance to phosphine – C.H. Bell, N. Savvidou, K.A. Mills, S. Bradberry and M.L. Barlow	41
A preliminary evaluation of carbon dioxide under high pressure for rapid fumigation – F.M. Caliboso, H. Nakakita and K. Kawashima	45
✗ The feasibility of increasing the penetration of phosphine in concrete silos by means of carbon dioxide – Y. Carmi, Y. Golani, H. Frandji and E. Shaaya	48
Mortality of snails, <i>Cerutuella virgata</i> and <i>Cochlicella acuta</i> , exposed to fumigants, controlled atmospheres or heat disinfection – J. Cassells, H.J. Banks and P.C. Annis	50
Application of pressure-swing absorption (PSA) and liquid nitrogen as methods for providing controlled atmospheres in grain terminals – J. Cassells, H.J. Banks and R. Allanson	56
Fumigation of a 7000 t bulk of wheat with phosphine using the Phyto-Explo® system to assist gas circulation – B. Chakrabarti, C. R. Watson, C. H. Bell, T.J. Wontner-Smith and J. Rogerson	64
Technical study of controlled atmosphere with carbon dioxide in brick silo for safe storage of wheat – Cheng Fu-chang, Mei Bao-Liang, Yu Jian, Dou He-tong and Tang Shun-gong	68
Improved procedures for fumigation of oaten hay in shipping containers – C.P.F. De Lima, R.N. Emery and P. Jackson	71
✓✗ Carbonyl sulphide as a fumigant for control of insects and mites – J.M. Desmarchelier	78
Improved procedures for measurement of fumigants – J.M. Desmarchelier	83
The influence of temperature on the sensitivity of two nitidulid beetles to low oxygen concentrations – J. E. Donahaye, S. Navarro and M. Rindner	88
Methyl isothiocyanate used as a grain fumigant – V. Ducom	91
A Western Australian farm survey for phosphine-resistant grain beetles – R.N. Emery	98
✓ Effects of low oxygen phosphine fumigations on adult <i>Rhyzopertha dominica</i> – F.M. Johnston and C.P. Whittle	104
Response of <i>Liposcelis bostrychophila</i> and <i>L. entomophila</i> (Psocoptera) to carbon dioxide – E.C.W. Leong and S.H. Ho	108
✗ Inheritance of phosphine resistance in <i>Sitophilus oryzae</i> (L.) (Coleoptera, Curculionidae) – Li Yan-sheng and Li Wen-zhi	113
Study of circumfluent fumigation with phosphine for killing stored-grain insects in silos – Lu Jian-hua, Zhao Zeng-hua, Liu Qing, Hu Shu-tian and Qi Jin-shen	116
Comparative toxicity of carbon dioxide to two <i>Callosobruchus</i> species – G. Mbata, C. Reichmuth and T. Ofuya	120
✓ A new method of using low levels of phosphine in combination with heat and carbon dioxide – D.K. Mueller	123

A new method to control stored-product insects using carbon dioxide with high pressure followed by sudden pressure loss – H. Nakakita and K. Kawashima	126
The future of hermetic storage of dry grains in tropical and subtropical climates – S. Navarro, J.E. Donahaye and S. Fishman	130
Western Australian Fumigation Practice Survey (1992) – C.R Newman	139
Biogeneration of carbon dioxide for use in modified atmosphere storage of sorghum grains – K.L. Patkar, C. M. Usha, H. S. Shetty, N. Paster and J. Lacey	144
The current status of phosphine fumigations in India – S. Rajendran and K.S. Narasimhan	148
A new phosphine releasing product – C. Reichmuth	153
Uptake of phosphine by stored-product pest insects during fumigation – C. Reichmuth	157
Carbon dioxide under high pressure of 15 bar and 20 bar to control the eggs of the Indianmeal moth <i>Plodia interpunctella</i> (Hübner) (Lepidoptera: Pyralidae) as the most tolerant stage at 25°C – C. Reichmuth and R. Wohlgenuth	163
* Studies on the effect of carbon dioxide in insect treatment with phosphine – Y.L. Ren, I.G. O'Brien and C.P. Whittle	173
The impact of temperature, moisture content, grain quality and their interactions on changes in storage vessel atmospheres – R. Reuss, K. Damcevski and P.C. Annis	178
Low-cost detector for the continuous monitoring of phosphine fumigation – R. Ryan, S.Waddell, P.W. Alexander, K. Bowles, L. Cherkson, J. Morgan and D. B. Hibbert	183
Controlled release of phosphine — an update – D. Schonstein, W. Shore, R. Ryan and S. Waddell	188
A survey of phosphine and methyl bromide resistance in Malaysia – Z. Sulaiman, M. Rahim, M.E. Faridah and M. Rasal	192
Effectiveness of carbon dioxide under reduced pressure against some insects infesting dried fruit – L. Süß and D.P. Locatelli	194
Evolution of phosphine from aluminium phosphide formulations at various temperatures and humidities – Tan Xianchang	201
Carbon dioxide fumigation of processed dried vine fruit (sultanas) in sealed stacks – C. Tarr, S.J. Hilton, J. van S. Graver and P.R. Clingeleffer	204
The fumigation of bag-stacks with phosphine under gas-proof sheets using techniques to avoid the development of insect resistance – R.W.D. Taylor and A.H. Harris	210
Effects of different speed of build up and decrease of pressure with carbon dioxide on the adults of the tobacco beetle <i>Lasioderma serricorne</i> (Fabricius) (Coleoptera: Anobiidae) – C. Ulrichs	214
Response of the pea weevil <i>Bruchus pisorum</i> (L.) to phosphine – C.J. Waterford and R.G. Winks	217
New aluminium phosphide formulations for controlled generation of phosphine – C.J. Waterford, C.P. Whittle and R.G. Winks	226
* Correlation between phosphine resistance and narcotic response in <i>Tribolium castaneum</i> (Herbst) – C.J. Waterford and R.G. Winks	231 231
Fumigation of dried vine fruit for export – P. Williams	236
Phosphine fumigation of stored field peas for insect control – P. Williams and C. P. Whittle	240
Measurement of resistance to grain fumigants with particular reference to phosphine – R.G. Winks and E.A. Hyne	244
Control of the common clothes moth <i>Tineola bisselliella</i> (Hummel) (Lepidoptera: Tineidae) and other museum pests with nitrogen – A. Wudtke and C. Reichmuth	251
<b>Fumigation and Controlled Atmospheres — Session Summary</b>	<b>255</b>
<b>STORAGE ENGINEERING</b>	<b>257</b>
<b>Keynote Address</b>	
Developments in silo design for the safe and efficient storage and handling of grain – A. W. Roberts	259
Temperature studies on steel silos in North Africa – El H. Bartali	281
Development of a programmable aeration controller – P. A. Gibbs	286
Observations on large-scale outdoor maize storage in jute and woven polypropylene sacks in Zimbabwe – L. Kennedy and A.D. Devereau	290
Quality enhancement of stored grain by improved design and management of aeration – J-C. Lasseran, G. Niquet and F. Fleurat-Lessard	296
Chilled aeration and storage of U.S. crops — a review – D.E. Maier	300
Pest management of stored maize using chilled aeration — a mid-west United States perspective – L. J. Mason, D.E. Maier, W.H. Adams and J. L. Obermeyer	312
Mobile drive-over hoppers and stackers for filling and emptying grain bunkers – F.M. Miller	318
Using controlled aeration for insect and mould management in the south-western United States – R.T. Noyes, G.W. Cuperus and P.Kenkel	323
Closed loop fumigation systems in the south-western United States – R.T. Noyes and P. Kenkel	335
Engineering input in the design of on-farm storage in India – B.D Shukla and K.K Singh	342

Design chart for in-store maize drying under tropical climates – S. Soponronnarit, P. Wongvirojtana and A. Nathakaranakule	346
Advances in research on in-store drying – G.S. Srzednicki and R.H. Driscoll	351
Modelling heat and mass transfer phenomena in bulk stored grains – G.R. Thorpe	359
Grain aeration system controlled by computer – Wu Zidan and Li FuJan	368
<b>Storage Engineering — Session Summary</b>	<b>371</b>
<b>SAMPLING AND TRAPPING</b>	<b>373</b>
<b>Keynote Address</b>	
The use of sex pheromones to control <i>Ephestia kuehniella</i> Zeller (Mediterranean flour moth) in flour mills by mass trapping and attracticide (lure and kill) methods – P. Trematerra	375
Grain storage in a small-farm ecosystem: Angoumois grain moth movement and management – R.J. Barney and P.A. Weston	383
✓ The use of multiple trapping methods to assess population size: an evaluation – J.H. Brower, L. Smith and E.P. Wileyto	385
The use of a managed bulk of grain for the evaluation of PC, pitfall beaker, insect probe and WBII probe traps for trapping <i>Sitophilus granarius</i> , <i>Oryzaephilus surinamensis</i> and <i>Cryptolestes ferrugineus</i> – P.M. Cogan and M.E. Wakefield	390
New trends in stored-grain infestation detection inside storage bins for permanent infestation risk monitoring – F. Fleurat-Lessard, A-J. Andrieu and D.R. Wilkin	397
Acoustical monitoring of stored-grain insects: an automated system – D.W. Hagstrum, P.W. Flinn and D.Shuman	403
Responses of <i>Tribolium castaneum</i> to different pheromone lures and traps in the laboratory – A. Hussain, T.W. Phillips and M.T. AliNiazee	406
Response of <i>Prostephanus truncatus</i> and <i>Teretriosoma nigrescens</i> to pheromone-baited flight traps – G.E. Key, B.J. Tigar, E. Flores-Sanchez and M. Vazquez-Arista	410
Development of immunoassays for quantitative detection of insects in stored products – G. B. Kitto, F.A. Quinn and W.E. Burkholder	415
Development of pheromone-baited insect traps – M.A. Mullen	421
Effect of single and multiple species release on the capture of <i>Plodia interpunctella</i> and <i>Cadra cautella</i> in pheromone-baited traps – M.A. Mullen	425
Monitoring field populations of <i>Lyctocoris campestris</i> , a predator of stored-grain insects: assessment of different trap designs – M.N. Parajulee and T.W. Phillips	429
Comparison between two methods of insect sampling in stored wheat – P.R.V.S. Pereira, F.A. Lazzari, S.M.N. Lazzari and A.A. Almeida	435
Using pheromones for location and suppression of phycitid moths and cigarette beetles in Hawaii— a five-year summary – L.H. Pierce	439
Improved early detection of internal infestation by flotation using product-adapted salt solutions – K. Richter and P. Tchalale	444
The use of various insect traps for studying psocid populations – R. Roesli and R. Jones	448
Trapping stored-product insects using an unbaited multifunnel trap – P. Trematerra, G. Rotundo and A. De Cristofaro	451
The potential of insect self-marking for the interpretation of trap catch – E.P. Wileyto	455
The statistical interpretation of insect self-marking and trapping – E.P. Wileyto	459
The detection of insects in grain during transit—an assessment of the problem and the development of a practical solution – D.R. Wilkin, D. Catchpole and S. Catchpole	463
Trapping <i>Trogoderma variabile</i> (Coleoptera: Dermestidae): a comparison of traps and techniques for adult and larval monitoring – E.J. Wright and R.L. Delves	470
<b>Sampling and Trapping — Session Summary</b>	<b>475</b>
<b>INSECT BIOLOGY</b>	<b>477</b>
<b>Keynote Address</b>	
Pheromones of stored-product insects: current status and future perspectives – T.W. Phillips	479
Studies on the relative susceptibility of varieties and germplasm lines of sesame to infestation by <i>Tribolium castaneum</i> (Herbst) (Coleoptera: Tenebrionidae) – R.K. Murali Baskaran, M.S. Venugopal and C.V. Sivakumar	487
X A comparison of the demography of four major stored grain coleopteran pest species and its implications for pest management – S. J. Beckett, B. C. Longstaff and D. E. Evans	491
A new host of the groundnut seed beetle, <i>Caryedon serratus</i> (Ol.), in Israel – M. Calderon	498

Dynamics and expansion of populations of stored product beetles – Z. Ciesielska	500
Bioassays with bruchid beetles: problems and (some) solutions – P.F. Credland	509
The distribution and PCR-based fingerprints of <i>Rhyzopertha dominica</i> (F.) in Canada – P.G. Fields and T.W. Phillips	517
Some stored-product insects of increasing importance in China – Guan Lianghua, Chen Lanfen, Xie Gengfa and Yang Shaojun	523
Factors affecting survival and development of <i>Sitophilus oryzae</i> (L.) in rice grain pericarp layers – Y. Haryadi and F. Fleurat-Lessard	525
Molecular and morphological markers for diagnosis of <i>Sitophilus oryzae</i> and <i>S. zeamais</i> (Coleoptera: Curculionidae) – P. Hidayat, R.H. French-Constant and T.W. Phillips	528
Pheromone biology and factors affecting its production in <i>Tribolium castaneum</i> – A. Hussain, T.W. Phillips, T. J. Mayhew and M.T. AliNiasee	533
Stored agricultural product protection in Croatia – I. Kalinovic and M. Ivezic	537
Pheromone biology of the lesser grain borer, <i>Rhyzopertha dominica</i> (Coleoptera: Bostrichidae) – T.J. Mayhew and T.W. Phillips	541
The measurement of resistance to <i>Acanthoscelides obtectus</i> (Say) (Coleoptera: Bruchidae) in seeds of <i>Phaseolus vulgaris</i> L. – C.J. Moss and P.F. Credland	545
Function and composition of cuticular hydrocarbons of stored-product insects – J. Nawrot, E. Malinski and J. Szafranek	553
Factors affecting oviposition and orientation by female <i>Plodia interpunctella</i> – T.W. Phillips and M.R. Strand	561
Studies of responses of stored-product pests, <i>Prostephanus truncatus</i> (Horn) and <i>Sitophilus zeamais</i> Motsch., to food volatiles – V. Pike, J.L. Smith, R.D. White and D.R. Hall	566
Influence of synthetic Sitophilate, the aggregation pheromone of <i>Sitophilus granarius</i> (L.) (Coleoptera: Curculionidae), on dispersion and aggregation behaviour of the granary weevil – R. Plarre	570
Distribution and status of Psocoptera infesting stored products in Australia – D. Rees	583
Hormonal control of reproduction in the female pyralid moth <i>Plodia interpunctella</i> (Hübner) (Lepidoptera: Phycitidae) – E. Shaaya, D. Silhacek, P. Shirk, H. Rees, G. Zimowska and S. Plotkin	588
Role of ultrasound production and chemical signals in the courtship behaviour of <i>Ephestia cautella</i> (Walker), <i>Ephestia kuehniella</i> Zeller and <i>Plodia interpunctella</i> (Hübner) (Lepidoptera: Pyralidae) – P. Trematerra and G. Pavan	591
Effect of maize variety and storage form on oviposition and development of the maize weevil, <i>Sitophilus zeamais</i> Motschulsky (Coleoptera: Curculionidae) – K.A. Vowotor, N.A. Bosque-Pérez and J.N. Ayertey	595
Life history data for <i>Sitotroga cerealella</i> (Olivier) (Lepidoptera: Gelechiidae) in farm-stored corn and the importance of sub-optimal environmental conditions in insect population modelling for bulk commodities – D.K. Weaver and J.E. Throne	599
Influence of planting date, harvest date, and maize (corn) hybrid on preharvest infestation of maize by <i>Sitotroga cerealella</i> – P.A. Weston	605
Variable longevity in the rusty grain beetle, <i>Cryptolestes ferrugineus</i> – N.D.G. White and R.J. Bell	608
Effect of food volume and photoperiod on initiation of diapause in the warehouse beetle, <i>Trogoderma variabile</i> Ballion (Coleoptera: Dermestidae) – E.J. Wright and A.P. Cartledge	613
<b>Insect Biology — Session Summary</b>	<b>617</b>
<b>Author Index</b>	<b>619</b>

## Volume 2

<b>INERT DUSTS</b>	<b>621</b>
Silica aerogels as alternative protectants of maize against <i>Prostephanus truncatus</i> (Horn) (Coleoptera: Bostrichidae) infestations – A. Barbosa, P. Golob and N. Jenkins	623
Structural treatment with amorphous silica slurry: an integral component of GRAINCO's IPM strategy – B.W. Bridgeman	628
Efficacy of an amorphous silica dust against bean bruchids – D.P. Giga and P. Chinwada	631
Effect of zeolite on the development of <i>Sitophilus zeamais</i> (Motsch.) – Y. Haryadi, R. Syarief, M. Hubeis and I. Herawati	633
Effects of Dryacide® on the physical properties of grains, pulses and oilseeds – K. Jackson and D. Webley	635
Laboratory trials on desiccant dust insecticides – A. McLaughlin	638
Combination of cooling with a surface application of Dryacide® to control insects – P.J. Nickson, J.M. Desmarchelier and P. Gibbs	646
Effectiveness of Insecto®, a new diatomaceous earth formulation, in suppressing several stored-grain insect species – Bh. Subramanyam, C. L. Swanson, N. Madamanchi and S. Norwood	650
<b>Inert Dusts — Session and Field Trip Workshop Summary</b>	<b>660</b>

<b>GRAIN QUALITY</b>	<b>661</b>
<b>Keynote Address</b>	
Concerns for quality maintenance during storage of cereals and cereal products – B.O. Juliano	663
<b>Keynote Address</b>	
Maintenance of grain quality during storage — prediction of the conditions and period of ‘safe’ storage – C.W. Wrigley, P.W. Gras and M.L. Bason	666
✓ Valuing Australian wheat quality characteristics in selected Asian markets – F.Z. Ahmadi-Esfahani and R.G. Stanmore	671
Modelling the effects of temperature, water activity and storage atmosphere on the viability of stored maize and paddy – M. L. Bason, P.W. Gras and H.J. Banks	677
A mathematical model for stockpile management – E. Boyapati and A. Oates	684
Infestations by <i>Sitophilus granarius</i> (L.) and <i>Rhyzopertha dominica</i> (F.) on durum wheat, and their influence on the rheological characteristics of the semolina – G. Domenichini, M. Pagani and D. Fogliazza	689
Effect of modified atmosphere storage on wheat seed germination vigour and on physiological criteria of the ageing process – F. Fleurat-Lessard, D. Just, P. Barrieu, J.-M. Le Torc’h, P. Raymond and P. Saglio	695
Comparison of methods for moisture content determination on soybeans – F.A. Lazzari	701
Modification of the nutritional quality of nitrogen content of Leguminosae seed damaged by <i>Acanthoscelides obtectus</i> (Say) (Coleoptera: Bruchidae) – C. Regnault-Roger, C. Watier and A. Hamraoui	704
Effect of rice storage conditions on the quality of milled rice – D. M. Trigo-Stockli and J. R. Pedersen	706
Functional properties of stored grains after microwave treatment – A.M. Zain and L.H. Ooi	712
<b>Grain Quality — Session Summary</b>	<b>715</b>
<b>GRAIN PROTECTANTS</b>	<b>717</b>
<b>Keynote Address</b>	
Grain protectant chemicals: present status and future trends – F.H. Arthur	719
<b>Keynote Address</b>	
Grain protectants: trends and developments – J.M. Desmarchelier	722
Trials of grain protectants on stored maize under Philippine conditions – M.A. Acda, P.B. Sayaboc, A.G. Gibe and C.B. Gragasin	729
Use of methoprene without adulticide as a grain protectant – R. Allanson and B. Wallbank	734
Using a PCR diagnostic for detection of insecticide resistance in <i>Tribolium castaneum</i> populations – D. Andreev, T. Phillips, R. Beeman and R. French-Constant	737
Effectiveness of pyrethroids as protectants of raw agricultural commodities stored in southeast Georgia, USA – F.H. Arthur	741
Repellent and phagodeterrent activity of <i>Sphaeranthus indicus</i> extract against <i>Callosobruchus chinensis</i> – J. K. Baby	746
Analysis of bioassay data using the Wadley’s Problem technique in probit analysis — a neglected option – M. Bengston and A.C. Strange	749
Recent developments in grain protectants for use in Australia – M. Bengston and A.C. Strange	751
Resistance considerations for choosing protectants – P.J. Collins	755
Efficacy of several mixtures of grain protectants on paddy and maize – G.J. Daghish	762
Insect growth regulators for the control of stored-grain insect pests – M.J. Dales, S. Harding, N. Freeman and H. Gaffney	765
Development of a closed system for application of grain protectants – M.A. Ebert, J.L. McLeod and B.A. Smith	770
Effect of the chitin-synthesis-inhibitor, chlorfluzuron, on immature development of <i>Rhyzopertha dominica</i> (F.) (Coleoptera: Bostrichidae) – J.A. Elek	773
Prevention of beetle infestation of dried fish – P. Golob, A. Gueye-Ndiaye and S. Johnson	777
Residues of grain protectants on paddy – Ma. Gragasin, B. Cristina, M.A. Acda, A.G. Gibe and P.D. Sayaboc	782
Are residual insecticide applications to store surfaces worth using? – I. Gudrups, A. Harris and M. Dales	785
Potential of common herbs as grain protectants: repellent effect of herb extracts on the granary weevil, <i>Sitophilus granarius</i> (L.) – S. Ignatowicz and B. Wesolowska	790
Field evaluation of a test kit for monitoring insecticide resistance in stored-grain pests – A. Jermannaud	795
The fate of residues of deltamethrin in treated wheat during its transformation into food products – A. Jermannaud and J. M. Pochon	798
Introduction of the neem tree in Mexico, in vitro propagation and validation of its properties against stored-product insects – J. Leos-Martínez, R.P. Salazar-Saenz and O.G. Alvarado-Gómez	804

Chemical control testing on foodstuff mites – G. C. Lozzia, I. E. Rigamonti and F. Ottoboni	809
The influence of temperature and modified atmosphere on effectiveness of <i>Lavandula angustifolia</i> Mill. oil for controlling <i>Tyrophagus putrescentiae</i> – Lungshi Li, Xiaowei Zhang and Yiquan Guo	817
Toxicity of <i>Annona squamosa</i> Linn. seed oil extract on <i>Tribolium castaneum</i> (Herbst) (Coleoptera: Tenebrionidae) – M.A. Malek and R.M. Wilkins	819
A new bioassay detecting for IGR activity with larvae of <i>Tribolium freemani</i> Hinton (Coleoptera: Tenebrionidae) – H. Nakakita, P. Sittisuang and T. Suzuki	824
Persistence of grain protectants in maize – S. H. Ong, M. Rahim and Z. Sulaiman	828
Cyfluthrin plus piperonyl butoxide — a promising new stored product protectant – R. Pospischil and G. Smith	830
Organophosphorous and synergised synthetic pyrethroid insecticides as grain protectants for stored maize – M. Rahim, Z. Sulaiman and S.H. Ong	833
Antifeedant effect of Mediterranean plant essential oils upon <i>Acanthoscelides obtectus</i> (Say) (Coleoptera), bruchid of kidney beans, <i>Phaseolus vulgaris</i> L. – C. Regnault-Roger and A. Hamraoui	837
Dynamics of insect populations in stored shelled corn (maize) treated with pirimiphos-methyl and thiabendazole – J.D. Sedlacek, P.A. Weston, B.D. Price and P.L. Rattlingourd	841
Rapid testing for insecticide residues in stored products using immuno- and enzyme assays – J.H. Skerritt, A.S. Hill, S.L. Edward, H.L. Beasley, N. Lee, D.P. McAdam and A.J. Rigg	843
Efficacy of pithraj ( <i>Aphanamixis polystachya</i> ) seed extracts against stored-product pests – F.A. Talukder and P.E. Howse	848
Effectiveness of residual insecticides against warehouse beetle, <i>Trogoderma variabile</i> Ballion – B.E. Wallbank	853
Grain protectants and pesticide residues – D.J. Webley	857
An assessment of Damfin to control an established infestation of saw-toothed grain beetle in malting barley – D.R. Wilkin, T.J. Binns and T. Hoppe	863
Correlation of probit parameters of malathion-resistant <i>Tribolium castaneum</i> (Herbst) (Coleoptera: Tenebrionidae) determined by topical application and residual methods – J.L. Zettler and F.H. Arthur	872
<b>Grain Protectants — Session Summary</b>	<b>876</b>
<b>INTEGRATED COMMODITY MANAGEMENT</b>	<b>877</b>
<b>Keynote Address</b>	
Decision support systems for integrated management of stored commodities – D.R. Wilkin and J.D. Mumford	879
Food aid: a substitute for domestic production and commercial imports? – F.Z. Ahmadi-Esfahani and C.G. Locke	884
Adding value to Australian wheat: present problems and future prospects – F.Z. Ahmadi-Esfahani and P. H. Jensen	890
Some effects of grain cleaning on mites, insects and fungi – D.M. Armitage	896
Loss assessment and loss prevention in wheat and storage — technology development and transfer in Pakistan – U.K. Baloch, M. Irshad and M. Ahmed	902
The effect of maize cob selection and the impact of field infestation on stored maize losses by the larger grain borer ( <i>Prostephanus truncatus</i> (Horn) Coleoptera: Bostrichidae) and associated storage pests – C. Borgemeister, C. Adda, B. Djomamou, P. Degbey, A. Agbaka, F. Djossou, W.G. Meikle and R.H. Markham	906
Integrated pest management in the GRAINCO, Queensland, Australia, storage system – B.W. Bridgeman and P.J. Collins	910
Insect control in farm-stored grains—the ‘Grainsafe’ extension project 995 – K.S. Bullen, P. Collins and A.S. Andrews	915
Sustainable postharvest systems in developing countries — framework for intervention – C.P.F. De Lima	918
Field validation of a decision support system for farm-stored grain – P.W. Flinn and D.W. Hagstrum	921
Dividing the harvest: an approach to integrated pest management in family stores in Africa – C. Henckes	925
Recent advances in the biology and control of <i>Prostephanus truncatus</i> (Coleoptera: Bostrichidae) – R.J. Hodges	929
U.S. stored-wheat pest management practices: producers, elevator operators, and mills – P. Kenkel, R.T. Noyes, G.W. Cuperus, J. Criswell, S. Fargo and K. Anderson	935
Decision support systems for pest management in grain stores – B.C. Longstaff	940
Technologies for storage and preservation of coffee beans in India – K.S. Narasimhan, S. Rajendran, M. Jayaram and N. Muralidharan	946
An analysis of the importance of liposcelids in tropical large-scale storage – V. Pike	950
Insect losses on sorghum stored in selected Malian villages, with particular emphasis on varietal differences in grain resistance – A. Ratnadass, S. Berté, D. Diarra and B. Cissé	953

Storage systems for maize ( <i>Zea mays</i> L.) in Nigeria from five agro-ecological zones – J. Udoh, T. Ikotun, and K. Cardwell	960
<b>Integrated Commodity Management — Session Summary</b>	<b>966</b>
<b>STORAGE FUNGI AND MYCOTOXINS</b>	<b>969</b>
<b>Keynote Address</b>	
Fungi and mycotoxins in grain: implications for stored product research – J. D. Miller	971
Effect of extracts from nine plant species found in Africa on the mycelial growth of <i>Aspergillus flavus</i> Link – K.F. Cardwell and L. Dongo	978
The effect of <i>Sitophilus zeamais</i> on fungal infection, aflatoxin production, moisture content and damage to kernels of stored maize – O.S. Dharmaputra, H. Halid, Sunjaya and Koo Soek Khim	981
<i>Aspergillus flavus</i> and <i>Penicillium islandicum</i> on milled rice collected from different parts of the postharvest handling chain – O. S. Dharmaputra and I. Retnowati	985
Application of mathematical modelling techniques for predicting mould growth – A. M. Gibson, M.J. Eyles, A.D. Hocking and D.J. Best	988
Effect of preincubation of fungal conidia in modified atmosphere on subsequent germination and growth on a solid medium – I. Haasum and P. V. Nielsen	992
Characterisation of aflatoxins B <sub>1</sub> , B <sub>2</sub> , G <sub>1</sub> , and G <sub>2</sub> in groundnuts and groundnut products – Y. Haryadi and E. Setiastuty	996
Taxonomy: the key to mycotoxin identification in food and feedstuffs – Z. Kozakiewicz	999
Respiration and losses in stored wheat under different environmental conditions – J. Lacey, A. Hamer and N. Magan	1007
Occurrence of <i>Fusarium</i> toxins in stored maize in southern Brazil – F. A. Lazzari	1014
Estimating the social costs of the impacts of fungi and aflatoxins in maize and peanuts – A.S.G. Lubulwa and J.S. Davis	1017
Environmental factors and tenuazonic acid production by <i>Alternaria</i> spp. isolated from sorghum – N. Magan and E. Baxter	1043
Production of polyclonal antibodies against polypeptides from an aflatoxin strain of the fungus <i>Aspergillus flavus</i> , a pathogen of stored grain – N. Paster, M. Menasherov, R. Salomon and E. Kuttin	1047
Levels of aflatoxins in grains from Santa Catarina State, Southern Brazil – V.M. Scussel and W.R. Baratto	1051
Effect of physical treatments on moulding and aflatoxin production in maize – H.S. Shetty, P. Vijaya, C.M. Usha, K.L. Patkar and J. Lacey	1054
The impact of insect pests on aflatoxin contamination of stored wheat and maize – A. K. Sinha	1059
Preharvest contamination of maize by <i>Aspergillus flavus</i> – P. Siriacha, P. Tonboonek, A. Wongurai, and S. Kositcharoenkul	1064
Traditional storage of pandanus nuts in the Papua New Guinea highlands – J. van S. Greve, A.D. Hocking and A.K Sharp	1068
Preharvest origins of toxigenic fungi in stored grain – D. T. Wicklow	1075
<b>Storage Fungi and Mycotoxins — Session Summary</b>	<b>1082</b>
<b>BIOLOGICAL CONTROL</b>	<b>1085</b>
<b>Keynote Address</b>	
Can biological control resolve the larger grain borer crisis? – R.H. Markham, C. Borgemeister and W.G. Meikle	1087
The dispersion pattern of <i>Teretriosoma nigrescens</i> Lewis (Coleoptera: Histeridae) after its release and monitoring of the occurrence of its host <i>Prostephanus truncatus</i> (Horn) (Coleoptera: Bostrichidae) in the natural environment in Togo – J. Boeye, A. Biliwa, H.U. Fischer, J. Helbig and J. Richter	1098
Suppression of insects in stored wheat by augmentation with parasitoid wasps – P.W. Flinn, D.W. Hagstrum and W.H. McGaughey	1103
Biological control in the context of an integrated management strategy for the larger grain borer, <i>Prostephanus truncatus</i> (Horn) (Coleoptera: Bostrichidae) and associated storage pests – R.H. Markham, F. Djossou, J.M. Hirabayashi, P. Novillo, V.F. Wright, R.M. Rios, F.J. Trujillo, W.G. Meikle and C. Borgemeister	1106
<i>Bacillus thuringiensis</i> variety <i>tenebrionis</i> (DSM-2803) in the control of coleopteran pests of stored wheat – S. G. Mummigatti, A.N. Raghunathan and N.G.K. Karanth	1112
Ability of the predator <i>Teretriosoma nigrescens</i> Lewis (Coleoptera: Histeridae) to control larger grain borer ( <i>Prostephanus truncatus</i> ) (Horn) (Coleoptera: Bostrichidae) under rural storage conditions in the southern region of Togo – P. Mutlu	1116
Life history, predatory biology, and population ecology of <i>Lyctocoris campestris</i> (F.) (Heteroptera: Anthocoridae) – M.N. Parajulee and T.W. Phillips	1122

Research on multiplication of <i>Beauveria bassiana</i> fungus and preliminary utilisation of Bb bioproduct for pest management in stored products in Vietnam – Pham Thi Thuy, Le Doan Dien and Nguyen Giang Van	1132
Host specificity of <i>Teretriosoma nigrescens</i> Lewis (Coleoptera: Histeridae) – M. Pöschko	1134
Studies on biological control of <i>Ephestia kuehniella</i> (Zeller) (Lepidoptera: Pyralidae) with <i>Trichogramma evanescens</i> Westwood (Hymenoptera: Trichogrammatidae) — host-finding ability in wheat under laboratory conditions – M. Schöller, C. Reichmuth and S.A. Hassan	1142
Computer simulation model for biological control of maize weevil by the parasitoid <i>Anisopteromalus calandrae</i> – L. Smith	1147
The functional response of <i>Uscana lariophaga</i> Steffan (Hymenoptera: Trichogrammatidae) under different egg distributions of its host <i>Callosobruchus maculatus</i> (Fab.) (Coleoptera: Bruchidae) – F.A.N. van Alebeek	1152
The role of semiochemicals in host location by <i>Uscana lariophaga</i> , egg parasitoid of <i>Callosobruchus maculatus</i> – A. van Huis, C. Schütte, M.H. Cools, Ph. Fanget, H. van der Hoek and S.P. Piquet	1158
<b>Biological Control — Session Summary</b>	<b>1165</b>
<b>QUARANTINE AND REGULATORY ISSUES</b>	<b>1167</b>
Decision making in regulatory entomology: the case of <i>Trogoderma variabile</i> in Western Australia – M.J. Butcher	1169
Insects found in stored products entering the port of Ravenna, Italy during 1976–91 – A. Contessi	1173
An integrated approach to stored-grain protection in Western Australia – K.R. Dean	1179
✓ The changing role of AQIS in the regulation of grain exports from Australia – D. Heinrich and J. Dean	1183
Factors influencing current U.K. strategies to meet quarantine requirements for export grain – M.P. Kelly and D.R. Wilkin	1186
GRAINCO (Queensland, Australia) attains 'certification assurance' accreditation – P. Wilson and B. Bridgeman	1192
<b>Quarantine and Regulatory Issues — Session Summary</b>	<b>1195</b>
<b>PHYSICAL CONTROL</b>	<b>1197</b>
Commodity disinfestation treatments with heat – N.W. Heather	1199
Radiation disinfestation of used packagings: irradiation trials with electron beams – S. Ignatowicz and I.H.M. Zaedee	1201
Detection of irradiated insect pests in stored products: locomotor activity of irradiated adult beetles – S. Ignatowicz, B. Wesolowska and I.H. Zaedee	1209
The effect of grain movement on <i>Liposcelis decolor</i> (Pearman), <i>Liposcelis bostrychophila</i> Badonnel (Psocoptera: Liposcelidae) and <i>Cryptolestes ferrugineus</i> (Stephens) (Coleoptera: Cucujidae) infesting bulk-stored barley – D. Rees, T. van Gerwen and T. Hillier	1214
<b>Physical Control — Session Summary</b>	<b>1220</b>
<b>WORKSHOP REPORTS</b>	<b>1223</b>
Appropriate Storage	1225
Expert Systems	1227
On-farm and Small-scale Storage and Extension	1228
Standards	1230
(Reports of other workshops are included in the appropriate Session Summaries)	
<b>LATE PAPERS</b>	<b>1231</b>
Field evaluation of a cylinder trap design for monitoring <i>Ephestia cautella</i> – T.G. Bowditch, J.L. Madden and B.F. Brassington	1233
Effect of storage and thermal treatment on quality of rain-damaged wheat – P.W. Gras, M.L. Bason and J.D. Tomlinson	1235
Effectiveness of SIROFLO® in horizontal storages – R.G. Winks and G.F. Russell	1238
Effectiveness of SIROFLO® in vertical storages – R.G. Winks and G.F. Russell	1245
A brief history of the entomological problems of wheat storage in Australia – J. van S. Graver and R.G. Winks	1250
<b>List of Participants</b>	<b>1259</b>
<b>Trade Exhibitors</b>	<b>1272</b>
<b>Author Index</b>	<b>1273</b>